



PRICE LIST

SP TARGET-EAGLE Training Targets and Accessories | Version 2.02 | valid from 26.08.2026

Non-binding indicative prices

This price list is provided for guidance. Shipping, packaging, delivery time and custom versions are specified in the individual quotation. Seller and contractual partner: SP Services GmbH.

1. D Series – Polymer Training Targets

Model	Image	Product / Specifications	Supply	Net	19% VAT	Gross
D-80		D target disc Ø 80 mm · 15 mm · 115 g	1 piece Mount sold separately	15,80 €	3,71 €	19,50 €
D-100		D target disc Ø 100 mm · 20 mm · 220 g	1 piece Mount sold separately	19,44 €	4,56 €	24,00 €
D-150		D target disc Ø 150 mm · 20 mm · 495 g	1 piece Mount sold separately	27,54 €	6,46 €	34,00 €
D-200		D target disc Ø 200 mm · 15 mm · 560 g	1 piece Mount sold separately	34,83 €	8,17 €	43,00 €

Product illustrations are for identification only and are not to scale.



2. X Series – Multi-Purpose Training Target Plates without Base

Model	Image	Product / Specifications	Supply	Net	19% VAT	Gross
X-100		X target plate Ø 100 mm · 20 mm · 210 g	1 piece Base sold separately	19,44 €	4,56 €	24,00 €
X-150		X target plate Ø 150 mm · 20 mm · 376 g	1 piece Base sold separately	27,54 €	6,46 €	34,00 €
X-200		X target plate Ø 200 mm · 15 mm · 634 g	1 piece Base sold separately	34,83 €	8,17 €	43,00 €

Technical Approval for the D and X Series

Only factory-loaded ammunition with full metal jacket (FMJ) bullets is approved, in calibres .22 LR to .45 ACP and .223 Rem. The minimum shooting distance is 2 m. Hand-loaded or reloaded ammunition has not been tested and is not approved.

Caution:

- When using a .22 LR sport pistol at 25 metres, this target is not suitable because the bullets become lodged and do not pass through. At shorter distances, this is not a problem.
- The X Series may only be used with base DZ501.

Technical suitability requires an approved shooting range, a suitable bullet trap and compliance with all operator and safety requirements.

3. Bases, Connectors and Accessories

Model	Image	Product / Specifications	Supply	Net	19% VAT	Gross
DZ501		Polymer base 90 × 85 × 35 · Weight 193 g	1 set Base, 4 pins, 2 support plates	19,44 €	4,56 €	24,00 €
DF150G (*)		Steel target + side cover Ø 150 mm · Overall thickness 44 mm · Steel plate 8 mm · 2.900 g	1 piece incl. steel target; fasteners as quoted	60,75 €	14,25 €	75,00 €
DF150		Replacement cover Ø 150 mm · Thickness 35 mm · 490 g	1 piece Replacement cover	37,26 €	8,74 €	46,00 €
DF200G (*)		Steel target with side protection Ø 200 mm · Overall thickness 44 mm · Steel plate 8 mm · 3.525 g	1 piece incl. steel target; fasteners as quoted	70,47 €	16,53 €	87,00 €
DF200		Replacement cover Ø 200 mm · Thickness 35 mm · 852 g	1 piece Replacement cover	43,74 €	10,26 €	54,00 €
DF2001		NP550 steel target (replacement) Ø 200 mm · Overall thickness 8 mm · Steel plate 8 mm · 2700 g	1 piece Replacement target	28,35 €	6,65 €	35,00 €
ST3040		Three-way connector 260 × 150 × 46 mm · Wall thickness 8 mm · 580 g · for timber profiles 30 × 40 mm	1 piece 1 connector	22,68 €	5,32 €	28,00 €
ST50100		Target stand connector 290 × 220 × 150 mm · Wall thickness 6 mm · 1.600 g · for timber profiles 50 × 100 mm	1 set of 2 2 connectors	93,96 €	22,04 €	116,00 €
DZJ090		Adapter plate 90 × 90 × 15 mm	1 set Adapter plate, 4 pins, 4 rings, 1 support plate	20,25 €	4,75 €	25,00 €

(*) These are ricochet-resistant steel targets with side protection. The projectiles pass through the polymer covers and are safely stopped by the steel target behind them. An opening is provided for removing projectiles / fragments.

These targets are suitable, for example, for hunters who can hang or set them up directly in the forest as distance targets. Neither projectiles nor fragments can leave the target, so the forest is not contaminated. Projectiles and fragments can be removed through an opening between the polymer and metal.

4. FA200-SP Series – Polymer Falling Plate Systems

Falling plate training systems with five self-healing polymer target plates, available with or without a central reset mechanism.

Model	Image	Product / Specifications	Supply	Net	19% VAT	Gross
FA200-SP		Training system with central reset mechanism 5 × target plates Ø 200 mm · 15 mm · approx. 30 kg incl. timber stand	1 piece	451,98 €	106,02 €	558,00 €
FA200-SP1		Training system without central reset mechanism 5 × target plates Ø 200 mm · 15 mm · approx. 30 kg incl. timber stand	1 piece without reset mechanism	387,18 €	90,82 €	478,00 €
ST50100M		Metal connector for timber frame assembly for 100 × 50 mm square timber 5 mm steel plate with angle bracket	2 pieces (1 set) 2 connectors	88,29 €	20,71 €	109,00 €

Product illustrations are for identification only and are not to scale.

5. Replacement Parts for the FA200-SP Series

Model	Image	Product / Specifications	Supply	Net	19% VAT	Gross
X-200		X target plate Ø 200 mm · 15 mm · 800 g	1 piece Base sold separately	34,83 €	8,17 €	43,00 €
DZ501		Polymer base 90 × 85 × 35 mm	1 set Base, 4 pins, 4 rings, 2 support plates	20,17 €	3,83 €	24,00 €
ST50100		Target stand connector 290 × 220 × 150 mm · Wall thickness 6 mm · 1.600 g · for timber profiles 50 × 100 mm	1 set of 2 2 connectors	93,96 €	22,04 €	116,00 €
ST2000M		Wooden stand with metal connectors Length 2000 mm, height 1300 mm · approx. 15 kg · Wooden profiles 50 × 100 mm	1 Set	136,89 €	32,11 €	169,00 €

The technical approval for the X Series stated in Section 2 applies to the X-200 target plates.

6. FA200X-NP550 Series – Falling Plate Training System

Folding target system / falling plate system with metal targets in accordance with the BDS standard

Model	Image	Product / Specifications	Supply	Net	19% VAT	Gross
FA200D-NP550		Training system – with ricochet protection, 5 x target plates Ø 200 mm · 15 mm · approx. 30 kg incl. timber stand	1 piece	971,19 €	227,81 €	1199,00 €
FA200S-NP550		Training system – without protection, 5 x target plates Ø 200 mm · 15 mm · approx. 30 kg incl. timber stand	1 piece	728,19 €	170,81 €	899,00 €
FA200M		Replacement NP550 steel target – Ø 200 mm · Thickness 8 mm – 2700 g	1 piece For FA200 only	36,45 €	8,55 €	45,00 €

Product illustrations are for identification only and are not to scale.

Operating Requirements for the FA200X-NP550 Series

Only factory-loaded ammunition with full metal jacket (FMJ) bullets in calibres .22 LR to .45 ACP and 12-gauge shotgun ammunition with lead shot is approved. The system is designed for projectile energies up to 1,500 joules. The minimum shooting distance is 15 m. Hand-loaded or reloaded ammunition is not approved.

7. Pricing Scope, Additional Costs and Validity

- Packaging and shipping costs are not included unless expressly stated.
- The delivery area, availability and estimated delivery time are confirmed in the individual quotation.
- Accessories and connecting elements are included only when expressly listed in the respective scope of supply.
- Special colours, custom dimensions, customer-specific mounts and minimum quantities are calculated separately.
- In the event of a conflict, the individual quotation shall prevail.

Request a Quotation

Please send enquiries to anfrage@target-eagle.com. For the initial enquiry, the model, quantity, delivery location and required mount are sufficient. The quotation includes the total price, shipping, delivery time, payment terms and applicable technical notes.



Request a Quotation

Scan the QR code or use the website and email address for your non-binding enquiry.



www.target-eagle.com
anfrage@target-eagle.com